



Univerza v Ljubljani

Biotehniška fakulteta

Oddelek za lesarstvo



**Center za testiranje
in certificiranje**

*Certifikat skladnosti
Certificate of Conformity*

Certifikat št. | *Certificate No.:*

19019

Prejemnik | *Receiver:*

POLYLINE D.O.O.

Miren 137 D, 5291 Miren

Izdelek/Sistem | *Product/System:*

DELOVNI STOL – SERIJA ERGO

Modeli: „VENT“ z RO in OP: Art. 4125, 4126, 4249

Modeli: „TEKS“ z RO in OP: Art. 4117, 4118, 4245;

Modeli: „W4“ z RO in OP: Art. 4103, 4104, 4203

Modeli: „LES“ z OP: Art. 4115, 4116, 4241;

Preskušeni izdelek/sistem ustreza zahtevam standardov ali normativnih dokumentov:

*Tested product/system is in conformity with requirements of the standards or other
normative documents:*

SIST EN 1335-1; SIST EN 1335-2

Certifikat je izdan na osnovi poročila o preskusu št.

The certificate is based on the report No.

037.1-SP/06, do 37.3-SP/06, 210.1-SP/10, 37.1-SP/15

158.1-SP/19

Velja do | *Valid until:*

4. aprila 2020

Kraj in datum izdaje | *Place and date of issue:*

Ljubljana, 4. april 2019

Podpis odgovorne osebe | *Authorised signature:*

Prof. dr. Milan ŠERNEK



Biotehniška fakulteta

Oddelek za lesarstvo

Center za testiranje in certificiranje

Rožna dolina, Cesta VIII/34

1000 Ljubljana, Slovenija

Biotechnical Faculty

Department of Wood Science

and Technology

Center for Testing and Certification

Rožna dolina, Cesta VIII/34

SI-1000 Ljubljana, Slovenia